



# **A Handbook of Statistical Analyses Using R**

---

Brian S. Everitt and Torsten Hothorn





---

## CHAPTER 16

# Errata

---

The document gives a list of typos, errors, inconsistencies etc. which have been spotted. Moreover, small numeric output differences which are due to updated packages are reported here. To get a full list of differences run R CMD `check HSAUR` on the source package.

### Preface

Typo in name of vignette for Chapter 1, should read

```
R> vignette("Ch_introduction_to_R", package = "HSAUR")
```

and

```
R> edit(vignette("Ch_introduction_to_R", package = "HSAUR"))
```

As of version 1.0-3, only the correctly named vignette is available.

### 16.1 Introduction to R

Typo at page 20 (Ex. 1.5): number of companies, not number of countries.

### 16.2 Simple Inference

Typo at page 31, code line 4: use argument `varwidth = TRUE`, not `var.width = TRUE`.

### 16.3 Conditional Inference

- The names of the test statistics in the output have been changed from T to Z or `chi-squared` throughout the chapter.
- Reference [Hothorn et al. \(2006a\)](#) updated

### 16.4 Analysis of Variance

–nothing known–

### 16.5 Multiple Linear Regression

Page 83: both `fitted` and `predict` can be used to compute fitted values, the later on can be applied to new unseen data as well.

## 16.6 Logistic Regression and Generalised Linear Models

Function `myplot` (page 100): the `vfont` argument in `text` has been changed to `family = "HersheySerif"` (the resulting plots remain the same).

## 16.7 Density Estimation

- Page 121: small numeric differences for the output of `optim`
- update to *mclust* version 3.0-0 (new names of parameters in `mclust` objects)

## 16.8 Recursive Partitioning

- Page 139: small differences in `predtab`
- Page 140: small differences in table at bottom of this page
- Reference [Hothorn et al. \(2006b\)](#) updated

## 16.9 Survival Analysis

The name of the test statistic in the output of `surv_test` has been changed to `chi-squared`.

## 16.10 Analysing Longitudinal Data I

Page 168, Figure 10.2: `summary` does not provide degrees of freedom and p-values in newer versions of *lme4*.

## 16.11 Analysing Longitudinal Data II

–nothing known–

## 16.12 Meta-Analysis

–nothing known–

## 16.13 Principal Component Analysis

–nothing known–

## 16.14 Multidimensional Scaling

–nothing known–

## 16.15 Cluster Analysis

update to *mclust* version 3.0-0 (new plot method)

**Thanks**

We would like to thank the following people for pointing out errors, typos etc and for making suggestions for improvements:

- Tobias Verbeke
- Brian D. Ripley



---

## Bibliography

---

- Hothorn, T., Hornik, K., van de Wiel, M. A., and Zeileis, A. (2006a), “A Lego system for conditional inference,” *The American Statistician*, 60, 257–263, URL <http://statmath.wu-wien.ac.at/~zeileis/papers/Hothorn+Hornik+VanDeWiel-2006.pdf>.
- Hothorn, T., Hornik, K., and Zeileis, A. (2006b), “Unbiased recursive partitioning: A conditional inference framework,” *Journal of Computational and Graphical Statistics*, 15, 651–674, URL <http://statmath.wu-wien.ac.at/~zeileis/papers/Hothorn+Hornik+Zeileis-2006.pdf>.