

# Package ‘ggseqplot’

May 7, 2025

**Title** Render Sequence Plots using 'ggplot2'

**Version** 0.8.6

**Description** A set of wrapper functions that mainly re-produces most of the sequence plots rendered with TraMineR::seqplot(). Whereas 'TraMineR' uses base R to produce the plots this library draws on 'ggplot2'.  
The plots are produced on the basis of a sequence object defined with TraMineR::seqdef(). The package automates the reshaping and plotting of sequence data. Resulting plots are of class 'ggplot', i.e. components can be added and tweaked using '+' and regular 'ggplot2' functions.

**URL** <https://maraab23.github.io/ggseqplot/>,  
<https://github.com/maraab23/ggseqplot>

**BugReports** <https://github.com/maraab23/ggseqplot/issues>

**Depends** R (>= 4.1.0), TraMineR (>= 2.2-5), ggplot2 (>= 3.4.0)

**License** GPL (>= 3)

**Encoding** UTF-8

**RoxygenNote** 7.3.2

**RdMacros** Rdpack

**Imports** cli, colorspace, dplyr (>= 1.1.0), forcats (>= 1.0.0), ggh4x, ggrepel, ggtext, glue, haven, patchwork, purrr, Rdpack, rlang, tidyr, usethis

**Suggests** covr, ggthemes, hrbrthemes, knitr, rmarkdown, testthat (>= 3.0.0)

**VignetteBuilder** knitr

**Config/testthat/edition** 3

**NeedsCompilation** no

**Author** Marcel Raab [aut, cre] (ORCID: <<https://orcid.org/0000-0002-3097-1591>>)

**Maintainer** Marcel Raab <marcel.raab@gmail.com>

**Repository** CRAN

**Date/Publication** 2025-05-06 22:10:02 UTC

Contents

ggseqdplot . . . . .	2
ggseqeplot . . . . .	5
ggseqfplot . . . . .	7
ggseqiplot . . . . .	9
ggseqmsplot . . . . .	11
ggseqmtplot . . . . .	13
ggseqrfplot . . . . .	15
ggseqrplot . . . . .	19
ggseqtrplot . . . . .	21
<b>Index</b>	<b>24</b>

---

ggseqdplot	<i>Sequence Distribution Plot</i>
------------	-----------------------------------

---

Description

Function for rendering state distribution plots with [ggplot2](#) (Wickham 2016) instead of base R’s [plot](#) function that is used by [TraMineR::seqplot](#) (Gabadinho et al. 2011).

Usage

```
ggseqdplot(  
  seqdata,  
  no.n = FALSE,  
  group = NULL,  
  dissect = NULL,  
  weighted = TRUE,  
  with.missing = FALSE,  
  border = FALSE,  
  with.entropy = FALSE,  
  linetype = "dashed",  
  linecolor = "black",  
  linewidth = 1,  
  facet_ncol = NULL,  
  facet_nrow = NULL,  
  ...  
)
```

Arguments

seqdata	State sequence object (class <code>stslist</code> ) created with the <a href="#">TraMineR::seqdef</a> function.
no.n	specifies if number of (weighted) sequences is shown (default is TRUE)
group	A vector of the same length as the sequence data indicating group membership. When not NULL, a distinct plot is generated for each level of group.

<code>dissect</code>	if "row" or "col" are specified separate distribution plots instead of a stacked plot are displayed; "row" and "col" display the distributions in one row or one column respectively; default is NULL
<code>weighted</code>	Controls if weights (specified in <code>TraMineR::seqdef</code> ) should be used. Default is TRUE, i.e. if available weights are used
<code>with.missing</code>	Specifies if missing states should be considered when computing the state distributions (default is FALSE).
<code>border</code>	if TRUE bars are plotted with black outline; default is FALSE (also accepts NULL)
<code>with.entropy</code>	add line plot of cross-sectional entropies at each sequence position
<code>linetype</code>	The linetype for the entropy subplot ( <code>with.entropy==TRUE</code> ) can be specified with an integer (0-6) or name (0 = blank, 1 = solid, 2 = dashed, 3 = dotted, 4 = dotdash, 5 = longdash, 6 = twodash); ; default is "dashed"
<code>linecolor</code>	Specifies the color of the entropy line if <code>with.entropy==TRUE</code> ; default is "black"
<code>linewidth</code>	Specifies the width of the entropy line if <code>with.entropy==TRUE</code> ; default is 1
<code>facet_ncol</code>	Number of columns in faceted (i.e. grouped) plot
<code>facet_nrow</code>	Number of rows in faceted (i.e. grouped) plot
<code>...</code>	if group is specified additional arguments of <code>ggplot2::facet_wrap</code> such as "labeller" or "strip.position" can be used to change the appearance of the plot. Does not work if <code>dissect</code> is used

## Details

Sequence distribution plots visualize the distribution of all states by rendering a series of stacked bar charts at each position of the sequence. Although this type of plot has been used in the life course studies for several decades (see Blossfeld (1987) for an early application), it should be noted that the size of the different bars in stacked bar charts might be difficult to compare - particularly if the alphabet comprises many states (Wilke 2019). This issue can be addressed by breaking down the aggregated distribution specifying the `dissect` argument. Moreover, it is important to keep in mind that this plot type does not visualize individual trajectories; instead it displays aggregated distributional information (repeated cross-sections). For a more detailed discussion of this type of sequence visualization see, for example, Brzinsky-Fay (2014), Fasang and Liao (2014), and Raab and Struffolino (2022).

The function uses `TraMineR::seqstatd` to obtain state distributions (and entropy values). This requires that the input data (`seqdata`) are stored as state sequence object (class `stslist`) created with the `TraMineR::seqdef` function. The state distributions are reshaped into a a long data format to enable plotting with `ggplot2`. The stacked bars are rendered by calling `geom_bar`; if `entropy = TRUE` entropy values are plotted with `geom_line`. If the `group` or the `dissect` argument are specified the sub-plots are produced by using `facet_wrap`. If both are specified the plots are rendered with `facet_grid`.

The data and specifications used for rendering the plot can be obtained by storing the plot as an object. The appearance of the plot can be adjusted just like with every other `ggplot` (e.g., by changing the theme or the scale using `+` and the respective functions).

## Value

A sequence distribution plot created by using `ggplot2`. If stored as object the resulting list object (of class `gg` and `ggplot`) also contains the data used for rendering the plot.

**Author(s)**

Marcel Raab

**References**

- Blossfeld H (1987). “Labor-Market Entry and the Sexual Segregation of Careers in the Federal Republic of Germany.” *American Journal of Sociology*, **93**(1), 89–118. doi:[10.1086/228707](https://doi.org/10.1086/228707).
- Brzinsky-Fay C (2014). “Graphical Representation of Transitions and Sequences.” In Blanchard P, Bühlmann F, Gauthier J (eds.), *Advances in Sequence Analysis: Theory, Method, Applications*, Life Course Research and Social Policies, 265–284. Springer, Cham. doi:[10.1007/9783319049694\\_14](https://doi.org/10.1007/9783319049694_14).
- Fasang AE, Liao TF (2014). “Visualizing Sequences in the Social Sciences: Relative Frequency Sequence Plots.” *Sociological Methods & Research*, **43**(4), 643–676. doi:[10.1177/0049124113506563](https://doi.org/10.1177/0049124113506563).
- Gabadinho A, Ritschard G, Müller NS, Studer M (2011). “Analyzing and Visualizing State Sequences in R with TraMineR.” *Journal of Statistical Software*, **40**(4), 1–37. doi:[10.18637/jss.v040.i04](https://doi.org/10.18637/jss.v040.i04).
- Raab M, Struffolino E (2022). *Sequence Analysis*, volume 190 of *Quantitative Applications in the Social Sciences*. SAGE, Thousand Oaks, CA. <https://sa-book.github.io/>.
- Wickham H (2016). *ggplot2: Elegant Graphics for Data Analysis*, Use R!, 2nd ed. edition. Springer, Cham. doi:[10.1007/9783319242774](https://doi.org/10.1007/9783319242774).
- Wilke C (2019). *Fundamentals of Data Visualization: A Primer on Making Informative and Compelling Figures*. O’Reilly Media, Sebastopol, CA. ISBN 978-1-4920-3108-6.

**Examples**

```
# Use example data from TraMineR: actcal data set
data(actcal)

# We use only a sample of 300 cases
set.seed(1)
actcal <- actcal[sample(nrow(actcal), 300), ]
actcal.lab <- c("> 37 hours", "19-36 hours", "1-18 hours", "no work")
actcal.seq <- seqdef(actcal, 13:24, labels = actcal.lab)

# state distribution plots; grouped by sex
# with TraMineR::seqplot
seqdplot(actcal.seq, group = actcal$sex)
# with ggseqplot
ggseqdplot(actcal.seq, group = actcal$sex)
# with ggseqplot applying a few additional arguments, e.g. entropy line
ggseqdplot(actcal.seq, group = actcal$sex,
            no.n = TRUE, with.entropy = TRUE, border = TRUE)

# break down the stacked plot to ease comparisons of distributions
ggseqdplot(actcal.seq, group = actcal$sex, dissect = "row")
```

```
# make use of ggplot functions for modifying the plot
ggseqdplot(actcal.seq) +
  scale_x_discrete(labels = month.abb) +
  labs(title = "State distribution plot", x = "Month") +
  guides(fill = guide_legend(title = "Alphabet")) +
  theme_classic() +
  theme(plot.title = element_text(size = 30,
                                   margin = margin(0, 0, 20, 0)),
        plot.title.position = "plot")
```

ggseqeplot

*Sequence Entropy Plot*

## Description

Function for plotting the development of cross-sectional entropies across sequence positions with [ggplot2](#) (Wickham 2016) instead of base R's `plot` function that is used by `TraMineR::seqplot` (Gabadinho et al. 2011). Other than in `TraMineR::seqHtplot` group-specific entropy lines are displayed in a common plot.

## Usage

```
ggseqeplot(
  seqdata,
  group = NULL,
  weighted = TRUE,
  with.missing = FALSE,
  linewidth = 1,
  linecolor = "Okabe-Ito",
  gr.linetype = FALSE
)
```

## Arguments

<code>seqdata</code>	State sequence object (class <code>stslist</code> ) created with the <code>TraMineR::seqdef</code> function.
<code>group</code>	If grouping variable is specified plot shows one line for each group
<code>weighted</code>	Controls if weights (specified in <code>TraMineR::seqdef</code> ) should be used. Default is TRUE, i.e. if available weights are used
<code>with.missing</code>	Specifies if missing states should be considered when computing the entropy index (default is FALSE).
<code>linewidth</code>	Specifies the width of the entropy line; default is 1
<code>linecolor</code>	Specifies color palette for line(s); default is "Okabe-Ito" which contains up to 9 colors (first is black). if more than 9 lines should be rendered, user has to specify an alternative color palette
<code>gr.linetype</code>	Specifies if line type should vary by group; hence only relevant if group argument is specified; default is FALSE

## Details

The function uses `TraMineR::seqstatd` to compute entropies. This requires that the input data (seqdata) are stored as state sequence object (class `stslist`) created with the `TraMineR::seqdef` function.

The entropy values are plotted with `geom_line`. The data and specifications used for rendering the plot can be obtained by storing the plot as an object. The appearance of the plot can be adjusted just like with every other ggplot (e.g., by changing the theme or the scale using `+` and the respective functions).

## Value

A line plot of entropy values at each sequence position. If stored as object the resulting list object also contains the data (long format) used for rendering the plot.

## Author(s)

Marcel Raab

## References

Gabadinho A, Ritschard G, Müller NS, Studer M (2011). “Analyzing and Visualizing State Sequences in R with TraMineR.” *Journal of Statistical Software*, **40**(4), 1–37. doi:10.18637/jss.v040.i04.

Wickham H (2016). *ggplot2: Elegant Graphics for Data Analysis*, Use R!, 2nd ed. edition. Springer, Cham. doi:10.1007/9783319242774.

## Examples

```
# Use example data from TraMineR: actcal data set
data(actcal)

# We use only a sample of 300 cases
set.seed(1)
actcal <- actcal[sample(nrow(actcal), 300), ]
actcal.lab <- c("> 37 hours", "19-36 hours", "1-18 hours", "no work")
actcal.seq <- seqdef(actcal, 13:24, labels = actcal.lab)

# sequences sorted by age in 2000 and grouped by sex
# with TraMineR::seqplot (entropies shown in two separate plots)
seqHtplot(actcal.seq, group = actcal$sex)
# with ggseqplot (entropies shown in one plot)
ggseqplot(actcal.seq, group = actcal$sex)
ggseqplot(actcal.seq, group = actcal$sex, gr.linetype = TRUE)

# manual color specification
ggseqplot(actcal.seq, linecolor = "darkgreen")
ggseqplot(actcal.seq, group = actcal$sex,
          linecolor = c("#3D98D3FF", "#FF363CFF"))
```

ggseqfplot

*Sequence Frequency Plot***Description**

Function for rendering sequence index plot of the most frequent sequences of a state sequence object using `ggplot2` (Wickham 2016) instead of base R's `plot` function that is used by `TraMineR::seqplot` / `TraMineR::plot.stslist.freq` (Gabadinho et al. 2011).

**Usage**

```
ggseqfplot(
  seqdata,
  group = NULL,
  ranks = 1:10,
  weighted = TRUE,
  border = FALSE,
  proportional = TRUE,
  ylabs = "total",
  no.coverage = FALSE,
  facet_ncol = NULL,
  facet_nrow = NULL
)
```

**Arguments**

seqdata	State sequence object (class <code>stslist</code> ) created with the <code>TraMineR::seqdef</code> function.
group	A vector of the same length as the sequence data indicating group membership. When not <code>NULL</code> , a distinct plot is generated for each level of group.
ranks	specifies which of the most frequent sequences should be plotted; default is the first ten ( <code>1:10</code> ); if set to 0 all sequences are displayed
weighted	Controls if weights (specified in <code>TraMineR::seqdef</code> ) should be used. Default is <code>TRUE</code> , i.e. if available weights are used
border	if <code>TRUE</code> bars are plotted with black outline; default is <code>FALSE</code> (also accepts <code>NULL</code> )
proportional	if <code>TRUE</code> (default), the sequence heights are displayed proportional to their frequencies
ylabs	defines appearance of y-axis labels; default (" <code>total</code> ") only labels min and max (i.e. cumulative relative frequency); if " <code>share</code> " labels indicate relative frequency of each displayed sequence (note: overlapping labels are removed)
no.coverage	specifies if information on total coverage is shown as caption or as part of the group/facet label if <code>ylabs == "share"</code> (default is <code>TRUE</code> )
facet_ncol	Number of columns in faceted (i.e. grouped) plot
facet_nrow	Number of rows in faceted (i.e. grouped) plot

## Details

The subset of displayed sequences is obtained by an internal call of `TraMineR::seqtab`. The extracted sequences are plotted by a call of `ggseqfplot` which uses `ggplot2::geom_rect` to render the sequences. The data and specifications used for rendering the plot can be obtained by storing the plot as an object. The appearance of the plot can be adjusted just like with every other `ggplot` (e.g., by changing the theme or the scale using `+` and the respective functions).

Experienced `ggplot2` users might notice the customized labeling of the y-axes in the faceted plots (i.e. plots with specified group argument). This has been achieved by utilizing the very helpful `ggh4x` library.

## Value

A sequence frequency plot created by using `ggplot2`. If stored as object the resulting list object (of class `gg` and `ggplot`) also contains the data used for rendering the plot.

## Author(s)

Marcel Raab

## References

Gabadinho A, Ritschard G, Müller NS, Studer M (2011). “Analyzing and Visualizing State Sequences in R with TraMineR.” *Journal of Statistical Software*, **40**(4), 1–37. doi:[10.18637/jss.v040.i04](https://doi.org/10.18637/jss.v040.i04).

Wickham H (2016). *ggplot2: Elegant Graphics for Data Analysis*, Use R!, 2nd ed. edition. Springer, Cham. doi:[10.1007/9783319242774](https://doi.org/10.1007/9783319242774).

## See Also

[ggseqfplot](#)

## Examples

```
# Use example data from TraMineR: actcal data set
data(actcal)

# We use only a sample of 300 cases
set.seed(1)
actcal <- actcal[sample(nrow(actcal), 300), ]
actcal.lab <- c("> 37 hours", "19-36 hours", "1-18 hours", "no work")
actcal.seq <- seqdef(actcal, 13:24, labels = actcal.lab)

# sequence frequency plot
# with TraMineR::seqfplot
seqfplot(actcal.seq)
# with ggseqfplot
ggseqfplot(actcal.seq)
# with ggseqfplot applying additional arguments and some layout changes
ggseqfplot(actcal.seq,
            group = actcal$sex,
```



```

      ranks = 1:5,
      ylabs = "share") +
scale_x_discrete(breaks = 1:12,
                  labels = month.abb,
                  expand = expansion(add = c(0.2, 0)))

```

ggseqplot

*Sequence Index Plot***Description**

Function for rendering sequence index plots with [ggplot2](#) (Wickham 2016) instead of base R's [plot](#) function that is used by [TraMineR::seqplot](#) (Gabadinho et al. 2011).

**Usage**

```

ggseqplot(
  seqdata,
  no.n = FALSE,
  group = NULL,
  sortv = NULL,
  weighted = TRUE,
  border = FALSE,
  facet_scale = "free_y",
  facet_ncol = NULL,
  facet_nrow = NULL,
  ...
)

```

**Arguments**

seqdata	State sequence object (class <code>stslist</code> ) created with the <a href="#">TraMineR::seqdef</a> function.
no.n	specifies if number of (weighted) sequences is shown as part of the y-axis title or group/facet title (default is TRUE)
group	A vector of the same length as the sequence data indicating group membership. When not NULL, a distinct plot is generated for each level of group.
sortv	Vector of numerical values sorting the sequences or a sorting method (either "from.start" or "from.end"). See details.
weighted	Controls if weights (specified in <a href="#">TraMineR::seqdef</a> ) should be used. Default is TRUE, i.e. if available weights are used
border	if TRUE bars are plotted with black outline; default is FALSE (also accepts NULL)
facet_scale	Specifies if y-scale in faceted plot should be free ("free_y" is default) or "fixed"
facet_ncol	Number of columns in faceted (i.e. grouped) plot
facet_nrow	Number of rows in faceted (i.e. grouped) plot

... if group is specified additional arguments of `ggplot2::facet_wrap` such as "labeller" or "strip.position" can be used to change the appearance of the plot

## Details

Sequence index plots have been introduced by Scherer (2001) and display each sequence as horizontally stacked bar or line. For a more detailed discussion of this type of sequence visualization see, for example, Brzinsky-Fay (2014), Fasang and Liao (2014), and Raab and Struffolino (2022).

The function uses `TraMineR::seqformat` to reshape seqdata stored in wide format into a spell/episode format. Then the data are further reshaped into the long format, i.e. for every sequence each row in the data represents one specific sequence position. For example, if we have 5 sequences of length 10, the long file will have 50 rows. In the case of sequences of unequal length not every sequence will contribute the same number of rows to the long data.

The reshaped data are used as input for rendering the index plot using ggplot2's `geom_rect`. `ggseqiplot` uses `geom_rect` instead of `geom_tile` because this allows for a straight forward implementation of weights. If weights are specified for seqdata and `weighted=TRUE` the sequence height corresponds to its weight.

If weights and a grouping variable are used, and `facet_scale="fixed"` the values of the y-axis are not labeled, because `ggplot2` reasonably does not allow for varying scales when the facet scale is fixed.

When a `sortv` is specified, the sequences are arranged in the order of its values. With `sortv="from.start"` sequence data are sorted according to the states of the alphabet in ascending order starting with the first sequence position, drawing on succeeding positions in the case of ties. Likewise, `sortv="from.end"` sorts a reversed version of the sequence data, starting with the final sequence position turning to preceding positions in case of ties.

Note that the default aspect ratio of `ggseqiplot` is different from `TraMineR::seqIplot`. This is most obvious when `border=TRUE`. You can change the ratio either by adding code to `ggseqiplot` or by specifying the ratio when saving the code with `ggsave`.

## Value

A sequence index plot. If stored as object the resulting list object also contains the data (spell format) used for rendering the plot.

## Author(s)

Marcel Raab

## References

- Brzinsky-Fay C (2014). "Graphical Representation of Transitions and Sequences." In Blanchard P, Bühlmann F, Gauthier J (eds.), *Advances in Sequence Analysis: Theory, Method, Applications*, Life Course Research and Social Policies, 265–284. Springer, Cham. doi:10.1007/9783319049694\_14.
- Fasang AE, Liao TF (2014). "Visualizing Sequences in the Social Sciences: Relative Frequency Sequence Plots." *Sociological Methods & Research*, 43(4), 643–676. doi:10.1177/0049124113506563.

Gabadinho A, Ritschard G, Müller NS, Studer M (2011). “Analyzing and Visualizing State Sequences in R with TraMineR.” *Journal of Statistical Software*, **40**(4), 1–37. doi:10.18637/jss.v040.i04.

Raab M, Struffolino E (2022). *Sequence Analysis*, volume 190 of *Quantitative Applications in the Social Sciences*. SAGE, Thousand Oaks, CA. <https://sa-book.github.io/>.

Scherer S (2001). “Early Career Patterns: A Comparison of Great Britain and West Germany.” *European Sociological Review*, **17**(2), 119–144. doi:10.1093/esr/17.2.119.

Wickham H (2016). *ggplot2: Elegant Graphics for Data Analysis*, Use R!, 2nd ed. edition. Springer, Cham. doi:10.1007/9783319242774.

## Examples

```
# Use example data from TraMineR: actcal data set
data(actcal)

# We use only a sample of 300 cases
set.seed(1)
actcal <- actcal[sample(nrow(actcal), 300), ]
actcal.lab <- c("> 37 hours", "19-36 hours", "1-18 hours", "no work")
actcal.seq <- seqdef(actcal, 13:24, labels = actcal.lab)

# ex1 using weights
data(ex1)
ex1.seq <- seqdef(ex1, 1:13, weights = ex1$weights)

# sequences sorted by age in 2000 and grouped by sex
# with TraMineR::seqplot
seqIplot(actcal.seq, group = actcal$sex, sortv = actcal$age00)
# with ggseqplot
ggseqplot(actcal.seq, group = actcal$sex, sortv = actcal$age00)

# sequences of unequal length with missing state, and weights
seqIplot(ex1.seq)
ggseqplot(ex1.seq)

# ... turn weights off and add border
seqIplot(ex1.seq, weighted = FALSE, border = TRUE)
ggseqplot(ex1.seq, weighted = FALSE, border = TRUE)
```

---

ggseqmsplot

---

*Modal State Sequence Plot*


---

## Description

Function for rendering modal state sequence plot with [ggplot2](#) (Wickham 2016) instead of base R's [plot](#) function that is used by [TraMineR::seqplot](#) (Gabadinho et al. 2011).

**Usage**

```
ggseqmsplot(
  seqdata,
  no.n = FALSE,
  barwidth = NULL,
  group = NULL,
  weighted = TRUE,
  with.missing = FALSE,
  border = FALSE,
  facet_ncol = NULL,
  facet_nrow = NULL
)
```

**Arguments**

seqdata	State sequence object (class <code>stslist</code> ) created with the <code>TraMineR::seqdef</code> function.
no.n	specifies if number of (weighted) sequences is shown (default is <code>TRUE</code> )
barwidth	specifies width of bars (default is <code>NULL</code> ); valid range: (0, 1]
group	A vector of the same length as the sequence data indicating group membership. When not <code>NULL</code> , a distinct plot is generated for each level of group.
weighted	Controls if weights (specified in <code>TraMineR::seqdef</code> ) should be used. Default is <code>TRUE</code> , i.e. if available weights are used
with.missing	Specifies if missing states should be considered when computing the state distributions (default is <code>FALSE</code> ).
border	if <code>TRUE</code> bars are plotted with black outline; default is <code>FALSE</code> (also accepts <code>NULL</code> )
facet_ncol	Number of columns in faceted (i.e. grouped) plot
facet_nrow	Number of rows in faceted (i.e. grouped) plot

**Details**

The function uses `TraMineR::seqmodst` to obtain the modal states and their prevalence. This requires that the input data (`seqdata`) are stored as state sequence object (class `stslist`) created with the `TraMineR::seqdef` function.

The data on the modal states and their prevalences are reshaped to be plotted with `ggplot2::geom_bar`. The data and specifications used for rendering the plot can be obtained by storing the plot as an object. The appearance of the plot can be adjusted just like with every other `ggplot` (e.g., by changing the theme or the scale using `+` and the respective functions).

**Value**

A modal state sequence plot. If stored as object the resulting list object also contains the data (long format) used for rendering the plot

**Author(s)**

Marcel Raab

## References

Gabadinho A, Ritschard G, Müller NS, Studer M (2011). “Analyzing and Visualizing State Sequences in R with TraMineR.” *Journal of Statistical Software*, **40**(4), 1–37. doi:[10.18637/jss.v040.i04](https://doi.org/10.18637/jss.v040.i04).

Wickham H (2016). *ggplot2: Elegant Graphics for Data Analysis*, Use R!, 2nd ed. edition. Springer, Cham. doi:[10.1007/9783319242774](https://doi.org/10.1007/9783319242774).

## Examples

```
# Use example data from TraMineR: actcal data set
data(actcal)

# We use only a sample of 300 cases
set.seed(1)
actcal <- actcal[sample(nrow(actcal), 300), ]
actcal.lab <- c("> 37 hours", "19-36 hours", "1-18 hours", "no work")
actcal.seq <- seqdef(actcal, 13:24, labels = actcal.lab)

# modal state sequence plot; grouped by sex
# with TraMineR::seqplot
seqmsplot(actcal.seq, group = actcal$sex)
# with ggseqplot
ggseqmsplot(actcal.seq, group = actcal$sex)
# with ggseqplot and some layout changes
ggseqmsplot(actcal.seq, group = actcal$sex, no.n = TRUE, border = FALSE, facet_nrow = 2)
```

---

ggseqmtpplot

*Mean time plot*


---

## Description

Function for rendering plot displaying the mean time spent in each state of a state sequence object using [ggplot2](#) (Wickham 2016) instead of base R’s [plot](#) function that is used by [TraMineR::seqplot](#) (Gabadinho et al. 2011).

## Usage

```
ggseqmtpplot(
  seqdata,
  no.n = FALSE,
  group = NULL,
  weighted = TRUE,
  with.missing = FALSE,
  border = FALSE,
  error.bar = NULL,
  error.caption = TRUE,
  facet_scale = "fixed",
```

```

    facet_ncol = NULL,
    facet_nrow = NULL
  )

```

## Arguments

seqdata	State sequence object (class <code>stsl</code> ) created with the <code>TraMineR::seqdef</code> function.
no.n	specifies if number of (weighted) sequences is shown (default is <code>TRUE</code> )
group	A vector of the same length as the sequence data indicating group membership. When not <code>NULL</code> , a distinct plot is generated for each level of group.
weighted	Controls if weights (specified in <code>TraMineR::seqdef</code> ) should be used. Default is <code>TRUE</code> , i.e. if available weights are used
with.missing	Specifies if missing states should be considered when computing the state distributions (default is <code>FALSE</code> ).
border	if <code>TRUE</code> bars are plotted with black outline; default is <code>FALSE</code> (also accepts <code>NULL</code> )
error.bar	allows to add error bars either using the standard deviation "SD" or the standard error "SE"; default plot is without error bars
error.caption	a caption is added if error bars are displayed; this default behavior can be turned off by setting the argument to <code>"FALSE"</code>
facet_scale	Specifies if y-scale in faceted plot should be <code>"fixed"</code> (default) or <code>"free_y"</code>
facet_ncol	Number of columns in faceted (i.e. grouped) plot
facet_nrow	Number of rows in faceted (i.e. grouped) plot

## Details

The information on time spent in different states is obtained by an internal call of `TraMineR::seqmeant`. This requires that the input data (seqdata) are stored as state sequence object (class `stsl`) created with the `TraMineR::seqdef` function. The resulting output then is prepared to be plotted with `ggplot2::geom_bar`. The data and specifications used for rendering the plot can be obtained by storing the plot as an object. The appearance of the plot can be adjusted just like with every other `ggplot` (e.g., by changing the theme or the scale using `+` and the respective functions).

## Value

A mean time plot created by using `ggplot2`. If stored as object the resulting list object (of class `gg` and `ggplot`) also contains the data used for rendering the plot

## Author(s)

Marcel Raab

## References

Gabadinho A, Ritschard G, Müller NS, Studer M (2011). “Analyzing and Visualizing State Sequences in R with TraMineR.” *Journal of Statistical Software*, **40**(4), 1–37. doi:10.18637/jss.v040.i04.

Wickham H (2016). *ggplot2: Elegant Graphics for Data Analysis*, Use R!, 2nd ed. edition. Springer, Cham. doi:10.1007/9783319242774.

## Examples

```
# Use example data from TraMineR: actcal data set
data(actcal)

# We use only a sample of 300 cases
set.seed(1)
actcal <- actcal[sample(nrow(actcal), 300), ]
actcal.lab <- c("> 37 hours", "19-36 hours", "1-18 hours", "no work")
actcal.seq <- seqdef(actcal, 13:24, labels = actcal.lab)

# modal state sequence plot; grouped by sex
# with TraMineR::seqplot
seqmtplot(actcal.seq, group = actcal$sex)
# with ggseqplot
ggseqmtplot(actcal.seq, group = actcal$sex)
# with ggseqplot using additional arguments and some adjustments
ggseqmtplot(actcal.seq, no.n = TRUE, error.bar = "SE") +
  coord_flip() +
  theme(axis.text.y=element_blank(),
        axis.ticks.y = element_blank(),
        panel.grid.major.y = element_blank(),
        legend.position = "top")
```

---

ggseqrfplot

*Relative Frequency Sequence Plot*


---

## Description

Function for rendering sequence index plots with [ggplot2](#) instead of base R's [plot](#) function that is used by [TraMineR::seqrfplot](#). Note that [ggseqrfplot](#) uses [patchwork](#) to combine the different components of the plot. The function and the documentation draw heavily from [TraMineR::seqrf](#).

## Usage

```
ggseqrfplot(
  seqdata = NULL,
  diss = NULL,
  k = NULL,
  sortv = "mds",
```

```

weighted = TRUE,
grp.meth = "prop",
squared = FALSE,
pow = NULL,
seqrfobject = NULL,
border = FALSE,
ylab = NULL,
yaxis = TRUE,
which.plot = "both",
quality = TRUE,
box.color = NULL,
box.fill = NULL,
box.alpha = NULL,
outlier.jitter.height = 0,
outlier.color = NULL,
outlier.fill = NULL,
outlier.shape = 19,
outlier.size = 1.5,
outlier.stroke = 0.5,
outlier.alpha = NULL
)

```

## Arguments

seqdata	State sequence object (class <code>stslst</code> ) created with the <code>TraMineR::seqdef</code> function. <code>seqdata</code> is ignored if <code>seqrfobject</code> is specified.
diss	pairwise dissimilarities between sequences in <code>seqdata</code> (see <code>TraMineR::seqdist</code> ). <code>diss</code> is ignored if <code>seqrfobject</code> is specified.
k	integer specifying the number of frequency groups. When <code>NULL</code> , <code>k</code> is set as the minimum between 100 and the sum of weights over 10. <code>k</code> is ignored if <code>seqrfobject</code> is specified.
sortv	optional sorting vector of length <code>nrow(diss)</code> that may be used to compute the frequency groups. If <code>NULL</code> , the original data order is used. If <code>mds</code> (default), the first MDS factor of <code>diss</code> ( <code>diss^2</code> when <code>squared=TRUE</code> ) is used. Ties are randomly ordered. Also allows for the usage of the string inputs: <code>"from.start"</code> or <code>"from.end"</code> (see <code>ggseqqplot</code> ). <code>sortv</code> is ignored if <code>seqrfobject</code> is specified.
weighted	Controls if weights (specified in <code>TraMineR::seqdef</code> ) should be used. Default is <code>TRUE</code> , i.e. if available weights are used.
grp.meth	Character string. One of <code>"prop"</code> , <code>"first"</code> , and <code>"random"</code> . Grouping method. See details. <code>grp.meth</code> is ignored if <code>seqrfobject</code> is specified.
squared	Logical. Should medoids (and computation of <code>sortv</code> when applicable) be based on squared dissimilarities? (default is <code>FALSE</code> ). <code>squared</code> is ignored if <code>seqrfobject</code> is specified.
pow	Dissimilarity power exponent (typically 1 or 2) for computation of pseudo R2 and F. When <code>NULL</code> , <code>pow</code> is set as 1 when <code>squared = FALSE</code> , and as 2 otherwise. <code>pow</code> is ignored if <code>seqrfobject</code> is specified.



seqrfobject	object of class seqrf generated with <a href="#">TraMineR::seqrf</a> . Default is NULL; either seqrfobject or seqdata and diss have to be specified
border	if TRUE bars of index plot are plotted with black outline; default is FALSE (also accepts NULL)
ylab	character string specifying title of y-axis. If NULL axis title is "Frequency group"
yaxis	Controls if a y-axis is plotted. When set as TRUE, index of frequency groups is displayed.
which.plot	character string specifying which components of relative frequency sequence plot should be displayed. Default is "both". If set to "medoids" only the index plot of medoids is shown. If "diss.to.med" only the box plots of the group-specific distances to the medoids are shown.
quality	specifies if representation quality is shown as figure caption; default is TRUE
box.color	specifies color of boxplot borders; default is "black"
box.fill	specifies fill color of boxplots; default is "white"
box.alpha	specifies alpha value of boxplot fill color; default is 1
outlier.jitter.height	if greater than 0 outliers are jittered vertically. If greater than .375 height is automatically adjusted to be aligned with the box width.
outlier.color, outlier.fill, outlier.shape, outlier.size, outlier.stroke, outlier.alpha	parameters to change the appearance of the outliers. Uses defaults of <a href="#">ggplot2::geom_boxplot</a>

## Details

This function renders relative frequency sequence plots using either an internal call of [TraMineR::seqrf](#) or by using an object of class "seqrf" generated with [TraMineR::seqrf](#).

For further details on the technicalities we refer to the excellent documentation of [TraMineR::seqrf](#). A detailed account of relative frequency index plot can be found in the original contribution by Fasang and Liao (2014).

ggseqrfplot renders the medoid sequences extracted by [TraMineR::seqrf](#) with an internal call of ggseqplot. For the box plot depicting the distances to the medoids ggseqrfplot uses [geom\\_boxplot](#) and [geom\\_jitter](#). The latter is used for plotting the outliers.

Note that ggseqrfplot renders in the box plots analogous to the those produced by [TraMineR::seqrfplot](#). Actually, the box plots produced with [TraMineR::seqrfplot](#) and [ggplot2::geom\\_boxplot](#) might slightly differ due to differences in the underlying computations of [grDevices::boxplot.stats](#) and [ggplot2::stat\\_boxplot](#).

Note that ggseqrfplot uses [patchwork](#) to combine the different components of the plot. If you want to adjust the appearance of the composed plot, for instance by changing the plot theme, you should consult the documentation material of [patchwork](#).

At this point ggseqrfplot does not support a grouping option. For plotting multiple groups, I recommend to produce group specific seqrfobjects or plots and to arrange them in a common plot using [patchwork](#). See Example 6 in the vignette for further details: `vignette("ggseqplot", package = "ggseqplot")`

**Value**

A relative frequency sequence plot using `ggplot`.

**Author(s)**

Marcel Raab

**References**

Fasang AE, Liao TF (2014). “Visualizing Sequences in the Social Sciences: Relative Frequency Sequence Plots.” *Sociological Methods & Research*, **43**(4), 643–676. doi:[10.1177/0049124113506563](https://doi.org/10.1177/0049124113506563).

**Examples**

```
# Load additional library for fine-tuning the plots
library(patchwork)

# From TraMineR::seqprf
# Defining a sequence object with the data in columns 10 to 25
# (family status from age 15 to 30) in the biofam data set
data(biofam)
biofam.lab <- c("Parent", "Left", "Married", "Left+Marr",
               "Child", "Left+Child", "Left+Marr+Child", "Divorced")

# Here, we use only 100 cases selected such that all elements
# of the alphabet be present.
# (More cases and a larger k would be necessary to get a meaningful example.)
biofam.seq <- seqdef(biofam[501:600, 10:25], labels=biofam.lab,
                    weights=biofam[501:600, "wp00tbgs"])
diss <- seqdist(biofam.seq, method = "LCS")

# Using 12 groups and default MDS sorting
# and original method by Fasang and Liao (2014)

# ... with TraMineR::seqrfplot (weights have to be turned off)
seqrfplot(biofam.seq, weighted = FALSE, diss = diss, k = 12,
          grp.meth="first", which.plot = "both")

# ... with ggseqrfplot
ggseqrfplot(biofam.seq, weighted = FALSE, diss = diss, k = 12, grp.meth="first")

# Arrange sequences by a user specified sorting variable:
# time spent in parental home; has ties
parentTime <- seqistatd(biofam.seq)[, 1]
b.srf <- seqrf(biofam.seq, diss=diss, k=12, sortv=parentTime)
# ... with ggseqrfplot (and some extra annotation using patchwork)
ggseqrfplot(seqrfobject = b.srf) +
  plot_annotation(title = "Sorted by time spent in parental home",
                 theme = theme(plot.title = element_text(hjust = 0.5, size = 18)))
```

## Description

Function for rendering representative sequence plots with `ggplot2` (Wickham 2016) instead of base R's `plot` function that is used by `TraMineR::seqplot` (Gabadinho et al. 2011).

## Usage

```
ggseqrplot(
  seqdata,
  diss,
  group = NULL,
  criterion = "density",
  coverage = 0.25,
  nrep = NULL,
  pradius = 0.1,
  dmax = NULL,
  border = FALSE,
  proportional = TRUE,
  weighted = TRUE,
  stats = TRUE,
  colored.stats = NULL,
  facet_ncol = NULL
)
```

## Arguments

seqdata	State sequence object (class <code>stslist</code> ) created with the <code>TraMineR::seqdef</code> function.
diss	pairwise dissimilarities between sequences in <code>seqdata</code> (see <code>TraMineR::seqdist</code> )
group	A vector of the same length as the sequence data indicating group membership. When not <code>NULL</code> , a distinct plot is generated for each level of group.
criterion	the representativeness criterion for sorting the candidate list. One of "freq" (sequence frequency), "density" (neighborhood density), "mscore" (mean state frequency), "dist" (centrality) and "prob" (sequence likelihood). See details.
coverage	coverage threshold, i.e., minimum proportion of sequences that should have a representative in their neighborhood (neighborhood radius is defined by <code>pradius</code> ).
nrep	number of representative sequences. If <code>NULL</code> (default), the size of the representative set is controlled by coverage.
pradius	neighborhood radius as a percentage of the maximum (theoretical) distance <code>dmax</code> . Defaults to 0.1 (10%). Sequence $y$ is redundant to sequence $x$ when it is in the neighborhood of $x$ , i.e., within a distance <code>pradius*dmax</code> from $x$ .

dmax	maximum theoretical distance. The dmax value is used to derive the neighborhood radius as $\text{pradius} \times \text{dmax}$ . If NULL, the value of dmax is derived from the dissimilarity matrix.
border	if TRUE bars are plotted with black outline; default is FALSE (also accepts NULL)
proportional	if TRUE (default), the sequence heights are displayed proportional to the number of represented sequences
weighted	Controls if weights (specified in <code>TraMineR::seqdef</code> ) should be used. Default is TRUE, i.e. if available weights are used
stats	if TRUE (default), mean discrepancy in each subset defined by all sequences attributed to one representative sequence and the mean distance to this representative sequence are displayed.
colored.stats	specifies if representatives in stats plot should be color coded; only recommended if number of representatives is small; if set to NULL (default) colors are used if $n \text{ rep.} \leq 10$ ; use TRUE or FALSE to change manually
facet_ncol	specifies the number of columns in the plot (relevant if <code>!is.null(group)</code> )

## Details

The representative sequence plot displays a set of distinct sequences as sequence index plot. The set of representative sequences is extracted from the sequence data by an internal call of `TraMineR::seqrep` according to the criteria listed in the arguments section above.

The extracted sequences are plotted by a call of `ggseqplot` which uses `ggplot2::geom_rect` to render the sequences. If `stats = TRUE` the index plots are complemented by information on the "quality" of the representative sequences. For further details on representative sequence plots see Gabadinho et al. (2011) and the documentation of `TraMineR::plot.stslist.rep`, `TraMineR::seqplot`, and `TraMineR::seqrep`.

Note that `ggseqrplot` uses `patchwork` to combine the different components of the plot. If you want to adjust the appearance of the composed plot, for instance by changing the plot theme, you should consult the documentation material of `patchwork`.

## Value

A representative sequence plot using `ggplot`.

## Author(s)

Marcel Raab

## References

- Gabadinho A, Ritschard G, Müller NS, Studer M (2011). "Analyzing and Visualizing State Sequences in R with TraMineR." *Journal of Statistical Software*, **40**(4), 1–37. doi:10.18637/jss.v040.i04.
- Gabadinho A, Ritschard G, Studer M, Müller NS (2011). "Extracting and Rendering Representative Sequences." In Fred A, Dietz JLG, Liu K, Filipe J (eds.), *Knowledge Discovery, Knowledge Engineering and Knowledge Management*, volume 128, 94–106. Springer, Berlin, Heidelberg. doi:10.1007/9783642190322\_7.

Wickham H (2016). *ggplot2: Elegant Graphics for Data Analysis*, Use R!, 2nd ed. edition. Springer, Cham. doi:[10.1007/9783319242774](https://doi.org/10.1007/9783319242774).

## Examples

```
# Use examples from TraMineR
library(TraMineR)
# Defining a sequence object with the data in columns 10 to 25
# (family status from age 15 to 30) in the biofam data set
data(biofam)
# Use sample of 300 cases
set.seed(123)
biofam <- biofam[sample(nrow(biofam),150),]
biofam.lab <- c("Parent", "Left", "Married", "Left+Marr",
               "Child", "Left+Child", "Left+Marr+Child", "Divorced")
biofam.seq <- seqdef(biofam, 10:25, labels=biofam.lab)

# Computing the distance matrix
biofam.dhd <- seqdist(biofam.seq, method="DHD")

# Representative sequence plot (using defaults)
# ... with TraMineR::seqplot
seqrplot(biofam.seq, diss = biofam.dhd)

# ... with ggseqrplot
ggseqrplot(biofam.seq, diss = biofam.dhd)
```

---

ggseqtrplot

*Sequence Transition Rate Plot*


---

## Description

Function for plotting transition rate matrix of sequence states internally computed by `TraMineR::seqtrate` (Gabadinho et al. 2011). Plot is generated using `ggplot2` (Wickham 2016).

## Usage

```
ggseqtrplot(
  seqdata,
  dss = TRUE,
  group = NULL,
  no.n = FALSE,
  weighted = TRUE,
  with.missing = FALSE,
  labsize = NULL,
  axislabs = "labels",
  x_n.dodge = 1,
  facet_ncol = NULL,
```

```
    facet_nrow = NULL
  )
```

## Arguments

seqdata	State sequence object (class <code>stslist</code> ) created with the <code>TraMineR::seqdef</code> function.
dss	specifies if transition rates are computed for STS or DSS (default) sequences
group	A vector of the same length as the sequence data indicating group membership. When not <code>NULL</code> , a distinct plot is generated for each level of group.
no.n	specifies if number of (weighted) sequences is shown in grouped (faceted) graph
weighted	Controls if weights (specified in <code>TraMineR::seqdef</code> ) should be used. Default is <code>TRUE</code> , i.e. if available weights are used
with.missing	Specifies if missing state should be considered when computing the transition rates (default is <code>FALSE</code> ).
labsize	Specifies the font size of the labels within the tiles (if not specified <code>ggplot2</code> 's default is used)
axislabs	specifies if sequence object's long "labels" (default) or the state names from its "alphabet" attribute should be used.
x_n.dodge	allows to print the labels of the x-axis in multiple rows to avoid overlapping.
facet_ncol	Number of columns in faceted (i.e. grouped) plot
facet_nrow	Number of rows in faceted (i.e. grouped) plot

## Details

The transition rates are obtained by an internal call of `TraMineR::seqtrate`. This requires that the input data (seqdata) are stored as state sequence object (class `stslist`) created with the `TraMineR::seqdef` function. As STS based transition rates tend to be dominated by high values on the diagonal, it might be worthwhile to examine DSS sequences instead (`dss = TRUE`). In this case the resulting plot shows the transition rates between episodes of distinct states.

In any case (DSS or STS) the transitions rates are reshaped into a a long data format to enable plotting with `ggplot2`. The resulting output then is prepared to be plotted with `ggplot2::geom_tile`. The data and specifications used for rendering the plot can be obtained by storing the plot as an object. The appearance of the plot can be adjusted just like with every other `ggplot` (e.g., by changing the theme or the scale using `+` and the respective functions).

## Value

A tile plot of transition rates.

## Author(s)

Marcel Raab

## References

Gabadinho A, Ritschard G, Müller NS, Studer M (2011). “Analyzing and Visualizing State Sequences in R with TraMineR.” *Journal of Statistical Software*, **40**(4), 1–37. doi:10.18637/jss.v040.i04.

Wickham H (2016). *ggplot2: Elegant Graphics for Data Analysis*, Use R!, 2nd ed. edition. Springer, Cham. doi:10.1007/9783319242774.

## Examples

```
# Use example data from TraMineR: biofam data set
data(biofam)

# We use only a sample of 300 cases
set.seed(10)
biofam <- biofam[sample(nrow(biofam),300),]
biofam.lab <- c("Parent", "Left", "Married", "Left+Marr",
               "Child", "Left+Child", "Left+Marr+Child", "Divorced")
biofam.seq <- seqdef(biofam, 10:25, labels=biofam.lab, weights = biofam$wp00tbgs)

# Basic transition rate plot (with adjusted x-axis labels)
ggseqtrplot(biofam.seq, x_n.dodge = 2)

# Transition rate with group variable (with and without weights)
ggseqtrplot(biofam.seq, group=biofam$sex, x_n.dodge = 2)
ggseqtrplot(biofam.seq, group=biofam$sex, x_n.dodge = 2, weighted = FALSE)
```

# Index

facet\_grid, 3  
facet\_wrap, 3  
  
geom\_bar, 3  
geom\_boxplot, 17  
geom\_jitter, 17  
geom\_line, 3, 6  
geom\_rect, 10  
geom\_tile, 10  
ggh4x, 8  
ggplot, 18, 20  
ggplot2, 2, 3, 5, 7–11, 13–15, 19, 21, 22  
ggplot2::facet\_wrap, 3, 10  
ggplot2::geom\_bar, 12, 14  
ggplot2::geom\_boxplot, 17  
ggplot2::geom\_rect, 8, 20  
ggplot2::geom\_tile, 22  
ggplot2::stat\_boxplot, 17  
ggsave, 10  
ggseqdplot, 2  
ggseqepplot, 5  
ggseqfplot, 7  
ggseqiplot, 8, 9, 16, 20  
ggseqmsplot, 11  
ggseqmtplot, 13  
ggseqrfplot, 15  
ggseqrplot, 19  
ggseqtrplot, 21  
grDevices::boxplot.stats, 17  
  
patchwork, 15, 17, 20  
plot, 2, 5, 7, 9, 11, 13, 15, 19  
  
TraMineR::plot.stslist.freq, 7  
TraMineR::plot.stslist.rep, 20  
TraMineR::seqdef, 2, 3, 5–7, 9, 12, 14, 16, 19, 20, 22  
TraMineR::seqdist, 16  
TraMineR::seqformat, 10  
TraMineR::seqHtplot, 5  
TraMineR::seqIplot, 10  
TraMineR::seqmeant, 14  
TraMineR::seqmodst, 12  
TraMineR::seqplot, 2, 5, 7, 9, 11, 13, 19, 20  
TraMineR::seqrep, 20  
TraMineR::seqrf, 15, 17  
TraMineR::seqrfplot, 15, 17  
TraMineR::seqstatd, 3, 6  
TraMineR::seqtab, 8  
TraMineR::seqtrate, 21, 22